



DESCRIPTION	PAGE
AWNING PULLEY	
Galvanized Awning Pulley	20-12
Heavy Duty Zinc Plated Pulley	20-12
CHAIN	
Beaded Chain	20-10
Coupling	20-10
Bell End Pull	20-10
End Ring Connector	20-10
Clock Chain	20-10
Decorative Chain	20-11
Double Loop Chain	20-08
Electrical Fixture Chain	20-08-09
Endwelded Sash Chain	20-06
Furnace Chain	20-09
GRADE 30 Proof Coil Chain	20-01-02
Stainless Steel Regular Link Chain	20-01-02
GRADE 30 Chain Sling	20-03
GRADE 43 Mooring Chain	20-01
GRADE 70 Short Link Transport Chain	20-04
GRADE 70 Load Rated Short Link Chain Sling	20-04
Hobby Chain	20-10
Oval Link Chain	20-10
Passing Link Chain	20-06
Plastic Chain	20-11
Sash Chain	20-09-10
Single Jack Chain	20-09
Solid Brass Safety Chain	20-09
Straight Link Machine Chain	20-06
Straight Long Link Chain	20-06
Twist Link Machine Chain	20-06
CHAIN SLING	
GRADE 30 Chain Sling	20-03
Load Rated GRADE 70 Chain Sling	20-04
COLD SHUT	
Zinc Plated Cold Shut	20-14
CUTTER	
Center-Cut Bolt Cutter	20-08
Replacement Jaws with Plates	20-08
Hydraulic Chain & Cable Cutter	20-08
HOOK	
Ceiling Hook	20-11
Eye Hook	20-05
Eye Hook Stainless Steel Safety Latch Kit	20-05
GRADE 30 Forged Chain Hooks	20-03
GRADE 70 Clevis Hook	20-04
GRADE 70 Farm Clevis Hook	20-04
T-Bar Ceiling Track Hook	20-11
GRADE 70 Tractor Drawbar Hook	20-03
KEY TAG	
Key Holder	20-20
Key Tag	20-20
LINK	
Missing Link	20-14

DESCRIPTION	PAGE
Plastic Quick Link	20-11
Plastic Connecting Link	20-11
Quick Link	20-13
Stainless Steel Quick Link	20-13
French Quick Link	20-13
Split Repair (Lap) Link	20-14
GRADE 70 Twin Clevis Mid-Link	20-03
LOAD BINDER	
Load Binder	20-05
Ratchet Load Binder	20-05
RING	
Key Identification Ring	20-20
Key Ring	20-20
Welded Round Ring	20-20
Stainless Steel Welded Round Ring	20-20
SHACKLE	
Farm Straight Shackle	20-14
Galvanized Anchor Shackle	20-15
Stainless Steel Anchor Shackle	20-15
Load Rated Galvanized Anchor Shackle	20-15
Galvanized Chain Shackle	20-14
SNAP HOOK	
Baby Snap	20-16
Boat Snap	20-16-17
Stainless Steel Boat Snap	20-16-17
Bolt Snap	20-17-19
Stainless Steel Bolt Snap	20-17
Double Bolt Snap	20-18
Double Eye Breast Snap	20-18
Fixed Eye Panic Snap	20-18
Fixed Eye Snap	20-16
Heavy Duty Security Snap	20-19
Heavy Duty Snap	20-18
Lever Snap	20-17
Mooring Snap	20-18
Open Eye Champion Snap	20-18
Open Eye Snap	20-18
Round Eye Champion Snap	20-16
Round Eye Champion Spring Snap	20-17
Round Swivel Eye Bull Snap	20-18
Scissor (Trigger) Snap	20-17
Security Wire Snap	20-16
Stainless Steel Security Wire Snap	20-16
Square Eye Bolt Snap	20-17
Square Eye Champion Snap	20-16
Square Roller Eye Snap	20-17
Swivel Eye Panic Snap	20-18
Swivel Eye Simplex Snap	20-16
Swivel Eye Snap	20-17
SWIVEL	
Chain Swivel	20-19
Forged Steel Eye & Eye Swivel	20-19
Forged Steel Jaw & Eye Swivel	20-19

ALPHANUMERIC INDEX BY PAGE

Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470	
PAGE 20-01		PAGE 20-02		PAGE 20-03		PAGE 20-04		PAGE 20-05		PAGE 20-06		PAGE 20-07		
GRADE 30 & 43 CHAINS		GRADE 30 HOOKS		HOOKS		LOAD BINDERS		DOUBLE LOOP CHAINS		WELDED CHAINS		WELDLESS CHAINS		
30HDG03-1K	21425 9	30SC08-14GS	21008 4	645-06	20029 0	320CWL-0075	20043 6	88	20803 6	B560-250	21451 8	BCW6B-P	20170 9	
30HDG05-800	21426 6	30SC10-14GS	21007 7	645-08	20030 6	320CWL-010	20044 3	88-A	20600 1	B560-500	21448 8	R600-82	21373 3	
30HDG06-450	21427 3	R30HDG03-150	21184 5	645-10	20031 3	320CWL-015	20045 0	88-B	20601 8	S565-250	21452 5	R601-82	21374 0	
30HDG08-300	21428 0	R30HDG05-100	21185 2	645-11	20196 9	320CWL-020	20046 7	88-C	20602 5	S565-500	21449 5	R602-82	21375 7	
30HDG10-200	21429 7	R30HDG06-65	21186 9	645-13	20197 6	320CWL-030	20134 1	88-D	20698 8	S589-150	21384 9	R603-82	21376 4	
30HDG13-100	21430 3	R30SS04-75	21013 8	646-06	20588 2	320CWL-050	20135 8	B550-100	21421 1	C550-12	21153 1	RBCB10-100	21316 0	
30SC03-1K	21431 0	R30SS05-75	21014 5	646-08	20033 7	322CWL-0075	20774 9	B560-100	21313 9	C560-12	21144 9	RBCB3-100	21317 7	
30SC05-800	21432 7	R30SS08-35	21016 9	646-10	20034 4	322CWL-010	20775 6	B565-100	21314 6	C565-12	21155 5	RBCB6-100	21318 4	
30SC06-450	21433 4	R30SS10-15	21416 7	646-11	20591 2	322CWL-015	20776 3	BCH-418	60375 6	C575-12	21074 9	RBCN10-100	21319 1	
30SC08-300	21434 1	R30ZP03-150	21178 4	647-06	20035 1	322CWL-020	20777 0	BCH-424	60376 3	C578-12	21146 3	RBCN3-100	21320 7	
30SC10-200	21435 8	R30ZP04-125	21179 1	647-08	20036 8	322CWL-030	20778 7	BCH-436	60377 0	C579-12	21075 6	RBCN6-100	21321 4	
30SC13-100	21436 5	R30ZP05-100	21180 7	647-10	20037 5	322CWL-050	20779 4	BC18	60161 5	C589-12	21076 3	RBCW6-100	21322 1	
30SS04-1K	21437 2	R30ZP06-65	21181 4	647-11	20598 1	BX270	20004 7	BC24	60162 2	PAGE 20-09			BCB10BR	21408 2
30SS05-800	21438 9	R30ZP08-60	21182 1	647-13	20038 2	BX271	20005 4	BC36	60163 9				BCB3BR	21403 7
30SS06-500	21439 6	R30ZP10-35	21183 8	648-06	20039 9	BX320	20322 2	R550-250	21358 0	WELDLESS CHAINS			BCB6BR	21405 1
30SS08-300	21440 2	S30HDG03-500	20829 6	648-08	20040 5	BX340	20264 5	R560-200	21359 7	B5610-50	21377 1	BCN10BR	21409 9	
30SS10-200	21441 9	S30HDG05-200	20811 1	648-10	20041 2	BXR320	20323 9	R565-200	21361 0	B562-50	21424 2	BCN3BR	21404 4	
30ZP03-1K	21442 6	S30HDG06-150	20812 8	648-11	20605 6	BXR340	21011 4	R565-200	21361 0	R520-200	21344 3	BCN6BR	21422 8	
30ZP05-800	21443 3	S30HDG08-100	20813 5	648-13	20042 9	S4055-0075	20702 2	R565-200	21361 0	R522-100	21345 0	BCW6BR	21407 5	
30ZP06-450	21444 0	S30HDG10-50	20814 2	648WL-06	21114 2	S4055-010	20703 9	R591-250	21383 2	R528-200	21346 7	C600-8	21130 2	
30ZP08-300	21445 7	S30HDG13-33	20930 9	648WL-08	21115 9	S4055-015	20704 6	S5610-250	21380 1	R566-250	21355 9	C601-8	21131 9	
30ZP10-200	21446 4	S30SC03-500	20931 6	648WL-10	21116 6	S4055-020	20705 3	S5610-500	21417 4	R591-250	21383 2	C602-8	21132 6	
43MOHDG10-200	21461 7	S30SC05-200	20932 3	648WL-13	21117 3	S4055-030	20706 0	S562-300	21423 5	R566-250	21355 9	C603-8	21133 3	
43MOHDG13-200	21462 4	S30SC06-150	20933 0	M605	20684 1	S4055-050	20707 7	C520-8	21058 9	R591-250	21383 2	CBCB10-8	21134 0	
43MOHDG16-150	21463 1	S30SC08-100	20934 7	M606	20685 8	S4055-075R	21410 5	C522-12	21059 6	S5610-250	21380 1	CBCB3-8	21135 7	
43MOHDG19-100	21464 8	S30SC10-50	20935 4	M608	20686 5	S4055-075R	21410 5	C528-12	21152 4	S562-300	21423 5	CBCB6-8	21136 4	
PAGE 20-10		PAGE 20-11		PAGE 20-12		PAGE 20-13		PAGE 20-14		PAGE 20-15		PAGE 20-16		
GRADE 70 CHAINS & HOOKS		DECORATIVE CHAINS		DECORATIVE CHAINS		HOBBY & BEADED CHAINS		DECORATIVE CHAINS		DECORATIVE CHAINS		DECORATIVE CHAINS		
S30ZP03-500	20860 9	7591WS	21458 7	5792PVCS	21457 0	7591W	50972 0	5788AB	20152 5	5788AC	21315 3	5788BL	20153 2	
S30ZP04-250	20815 9	7592PVCS	21457 0	5788AB	20152 5	5788AC	21315 3	5788B	20149 5	5788AC	21315 3	5788B	20149 5	
		5788AB	20152 5	5788AC	21315 3	5788BL	20153 2	5788BL	20153 2	5788BL	20153 2	5788SN	20154 9	
		5788AC	21315 3	5788B	20149 5	5788SN	20154 9	5788SN	20159 8	5788W	20150 1	5792PVC	50973 7	
		5788B	20149 5	5788BL	20153 2	5792PVC	50973 7	5792PVC	50973 7	628-4BL	20746 6	628-4W	20189 1	
		5788BL	20153 2	5788SN	20154 9	628-4BL	20746 6	628-4W	20189 1	628-4Y	20845 6	629-3BL	20745 9	
		5788SN	20154 9	628-4BL	20746 6	628-4Y	20845 6	629-3BL	20745 9	629-3W	20001 6	629-3Y	20846 3	
		628-4BL	20746 6	628-4W	20189 1	629-3W	20001 6	629-3Y	20846 3	R570AB-50	20317 8	R570AC-50	21190 6	
		628-4W	20189 1	629-3BL	20745 9	R570AB-50	20317 8	R570AC-50	21190 6	R570BL-50	21365 8	R570BL-50	21365 8	
		629-3BL	20745 9	629-3W	20001 6	R570BL-50	21365 8	R570BL-50	21365 8	R570N-50	21325 2	R570SN-50	21327 6	
		629-3W	20001 6	R570AB-50	20317 8	R570N-50	21325 2	R570SN-50	21327 6	R570W-50	21326 9	R627BL-130	21332 0	
		R570AB-50	20317 8	R570AC-50	21190 6	R570W-50	21326 9	R627BL-130	21332 0	R627FL-130	21330 6	R627W-130	21329 0	
		R570AC-50	21190 6	R627BL-130	21332 0	R627FL-130	21330 6	R627Y-130	21331 3	S628W-70	21379 5	5788ABR	21399 3	
		R627BL-130	21332 0	R627W-130	21329 0	S628W-70	21379 5	5788ACR	21397 9					
		R627W-130	21329 0			5788ACR	21397 9							










Technical specifications are subject to change without prior notice

is a registered trademark of Canada-Europe Ltd.

Representation or reproduction of this document in any form or by any means is strictly prohibited.

ALPHANUMERIC INDEX BY PAGE

F: 1.855.329.8181 T: 1.800.363.9994

Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470	Item	7 74470
5788BLR	21401 3	1333-05	20068 9	635-06BC	20577 6	135-51BC	20430 4	72-35BC	20638 4
5788BR	21398 6	1333-06	20069 6	635-08BC	20578 3	150BC	20433 5	72-45BC	20640 7
5788NR	21400 6	1333-08	20070 2	635-10BC	20579 0	2355/100BC	20451 9	72-4BC	20639 1
5788SNR	21396 2	1333-10	20071 9	635-13BC	20580 6	2355/120BC	20786 2	PAGE 20-19	
5788WR	21402 0	1333-11	20072 6	701-05BC	20628 5	2355/140BC	20787 9		
5791WR	51833 3	1333-13	20416 8	701-06BC	20629 2	2355/50BC	20452 6	SNAP HOOKS & SWIVELS	
5792PVC	51834 0	1333-14	20073 3	701-08BC	20630 8	2355/60BC	20453 3	3002BC 20750 3	
628-4BLR	21395 5	1333-16	20074 0	701-10BC	20631 5	2355/80BC	20454 0	3113-100BC 20132 7	
628-4WR	21393 1	1333-17	20075 7	701-13BC	20632 2	2355SS/100BC	20351 2	3113-85BC 20133 4	
628-4YR	21394 8	2333-03	20830 2	M8178	20688 9	2355SS/120BC	21161 6	466-05BC 20510 3	
629-3BLR	21392 4	2333-04	20831 9	M8878	20691 9	2355SS/50BC	20349 9	466-06BC 20511 0	
629-3WR	21390 0	2333-05	20832 6	PAGE 20-15		2355SS/60BC	20347 5	466-08BC 20512 7	
629-3YR	21391 7	2333-06	20833 3			2355SS/80BC	20345 1	466-10BC 20513 4	
C570AB-8	21078 7	2333-08	20834 0	ANCHOR SHACKLES		2363/0BC	20458 8	467-10BC 21100 5	
C570AC-8	21156 2	2333-10	20835 7	601G22 20151 8		2363/1BC	20459 5	467-13BC 21101 2	
C570B-8	21069 5	2333-11	20836 4	601G25 20533 2		2363/2BC	20460 1	469-10BC 21104 3	
C570BL-8	21068 8	2333-13	20837 1	609G06 20534 9		2363/3BC	20461 8	469-13BC 21105 0	
C570N-8	21070 1	1333-03BC	20500 4	609G08 20535 6		2363SS/2BC	21087 9	6260BC 20562 2	
C570SN-8	21157 9	1333-05BC	20501 1	609G10 20536 3		734ABC	20644 5	6270BC 20563 9	
C570W-8	21073 2	1333-06BC	20502 8	609G11 20537 0		2355/100CP	21191 3	6280BC 20564 6	
C627BL-20	21150 0	1333-08BC	20503 5	609G13 20538 7		2355/50CP	21174 6	PAGE 20-20	
C627FL-20	21148 7	1333-10BC	20505 9	609G16 20539 4		2355/60CP	21175 3		
C627W-20	21147 0	1333-11BC	20790 9	609G19 20540 0		2355/80CP	21176 0	RINGS & KEY ACCESSORIES	
C627Y-20	21149 4	1333-13BC	20791 6	609G22 20541 7		PAGE 20-17		1336-1 20903 3	
C628W-10	21151 7	2333-03BC	20445 8	609G25 20542 4				1336-125 20904 0	
PAGE 20-12				609G29 20543 1		SWIVEL EYE SNAP HOOKS		1336-15 20905 7	
				609G32 20544 8		1088BC 20408 3		1336-2 20907 1	
AWNING PULLEYS				609G38 20545 5		1089BC 20409 0		C2583 50568 5	
356-05	20674 2	2333-10BC	20450 2	601G05BC 20524 0		188-16BC 20436 6		C2586 50569 2	
356-075	20675 9	2333-11BC	20788 6	601G06BC 20525 7		188-19BC 20437 3		C2588 50570 8	
356-10	20676 6	2333-13BC	20789 3	601G08BC 20526 4		188-25BC 20438 0		C2589 50571 5	
356-125	20677 3	2333SS-03BC	20361 1	601G10BC 20527 1		188-29BC 20439 7		1336-075BC 20780 0	
356-15	20678 0	2333SS-04BC	20359 8	601G11BC 20528 8		2359-13BC 20455 7		1336-125BC 20421 2	
356-20	20679 7	2333SS-05BC	20357 4	601G13BC 20529 5		2359-19BC 20456 4		1336-15BC 20422 9	
356HD15	21106 7	2333SS-06BC	20355 0	601G16BC 20530 1		2359-25BC 20457 1		1336-175BC 20781 7	
356HD20	21107 4	2333SS-08BC	20353 6	601G19BC 20531 8		2364/1BC 20462 5		1336-1BC 20420 5	
356HD30	21108 1	2333SS-10BC	20370 3	601GSS-05BC 20343 7		2364/2BC 20463 2		1336-2BC 20423 6	
653-05	20609 4	2333-03CP	21162 3	601GSS-06BC 20341 3		2364/3BC 20464 9		1336SS-125BC 20367 3	
653-075	20610 0	2333-05CP	21163 0	601GSS-08BC 20339 0		2364SS/2BC 21086 2		1336SS-15BC 20365 9	
653-10	20611 7	2333-06CP	21164 7	601GSS-10BC 20337 6		4218BC 20504 2		1336SS-1BC 20369 7	
653-125	20612 4	2333-08CP	21165 4	609G05BC 20987 3		50-10BC 20514 1		1336SS-2BC 20363 5	
653-15	20613 1	2333-10CP	21192 0	609G06BC 20980 4		50-13BC 20515 8		1347-15BC 20782 4	
653-20	20614 8	PAGE 20-14		609G08BC 20981 1		50-16BC 20516 5		1347-25BC 20784 8	
653-25	20615 5			609G10BC 20982 8		50-19BC 20517 2		1347-2BC 20783 1	
653-30	20616 2	ACCESSORIES		609G11BC 20983 5		50-25BC 20518 9		1347-3BC 20785 5	
653HD15	21109 8	610G05 20546 2		609G13BC 20984 2		50-28BC 20519 6		CH8008STV200 50210 3	
653HD20	21110 4	610G06 20547 9		609G16BC 20985 9		50SS-13BC 21085 5		CH8035STV200 50211 0	
653HD25	21111 1	610G08 20548 6		609G19BC 20986 6		52-19BC 20520 2		CD603B 50801 3	
653HD30	21112 8	610G10 20549 3		PAGE 20-16		52-25BC 20521 9		PAGE 20-18	
654-05	20617 9	610G11 20169 3				SNAP HOOKS			
654-075	20618 6	610G13 20550 9		2355/100 20911 8		1001BC 20400 7		1001BC 20400 7	
654-10	20619 3	610G16 20551 6		2355/120 20912 5		1002BC 20401 4		1002BC 20401 4	
654-125	20620 9	610G19 20552 3		2355/140 20913 2		1087BC 20407 6		1087BC 20407 6	
654-15	20621 6	610G22 20553 0		2355/50 20914 9		163BBC 20434 2		163BBC 20434 2	
654-20	20622 3	610G25 20554 7		2355/60 20915 6		187BC 20089 4		187BC 20089 4	
654-25	20623 0	631-05BC 20569 1		2355/80 20916 3		2311BC 20443 4		2311BC 20443 4	
654-30	20624 7	631-06BC 20570 7		108-19BC 20404 5		232BBC 20444 1		232BBC 20444 1	
654HD15	21113 5	631-08BC 20571 4		135-19BC 20426 7		3142BC 20484 7		3142BC 20484 7	
PAGE 20-13				631-10BC 20572 1		3145BC 20485 4		3145BC 20485 4	
				631-11BC 20573 8		70BC 20627 8		70BC 20627 8	
QUICK LINKS				631-13BC 20574 5					
1333-03	20067 2	635-03BC 20575 2		635-05BC 20576 9					

GRADE 30 & 43M CHAINS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



GRADE 30 PROOF COIL CHAIN

Electric welded

1/8"	25/32"	1/4"	300
3/16"	29/32"	3/8"	630
1/4"	1-1/8"	15/32"	1,100
5/16"	1-1/4"	1/2"	1,800
3/8"	1-11/32"	5/8"	2,400
1/2"	1-25/32"	13/16"	4,200

1/8"	25/32"	1/4"	300
3/16"	29/32"	3/8"	630
1/4"	1-1/8"	15/32"	1,100
5/16"	1-1/4"	1/2"	1,800
3/8"	1-11/32"	5/8"	2,400

1/8"	25/32"	1/4"	300
3/16"	29/32"	3/8"	630
1/4"	1-1/8"	15/32"	1,100
5/16"	1-1/4"	1/2"	1,800
3/8"	1-11/32"	5/8"	2,400
1/2"	1-25/32"	13/16"	4,200

STAINLESS STEEL REGULAR LINK CHAIN

5/32"	7/8"	9/32"	375
3/16"	15/16"	3/8"	630
1/4"	1-1/16"	3/8"	1,000
5/16"	1-1/4"	1/2"	1,700
3/8"	1-3/8"	19/32"	2,400

TYPE 316 Stainless steel chain available on request.

GRADE 43M MOORING CHAIN

High tensile strength chain for use on general marine construction projects such as fender systems, docks and wharfs, fish farming pens, topper bouys and other mooring applications

3/8"	0.394"	1-37/64"	23/32"	5,400
1/2"	0.512"	2-3/64"	15/16"	9,200
5/8"	0.630"	2-1/2"	31/32"	13,000
3/4"	0.787"	3-5/32"	1-3/16"	20,200

SELF-COLOURED

30SC03-1K	1,000' ◇	21431 0
30SC05-800	800' ◇	21432 7
30SC06-450	450' ◇	21433 4
30SC08-300	300' ◇	21434 1
30SC10-200	200' ◇	21435 8
30SC13-100	100' ◇	21436 5

BRIGHT ZINC PLATED

30ZP03-1K	1,000' ◇	21442 6
30ZP05-800	800' ◇	21443 3
30ZP06-450	450' ◇	21444 0
30ZP08-300	300' ◇	21445 7
30ZP10-200	200' ◇	21446 4

HOT DIPPED GALVANIZED

30HDG03-1K	1,000' ◇	21425 9
30HDG05-800	800' ◇	21426 6
30HDG06-450	450' ◇	21427 3
30HDG08-300	300' ◇	21428 0
30HDG10-200	200' ◇	21429 7
30HDG13-100	100' ◇	21430 3

TYPE 304

30SS04-1K	1,000' ◇	21437 2
30SS05-800	800' ◇	21438 9
30SS06-500	500' ◇	21439 6
30SS08-300	300' ◇	21440 2
30SS10-200	200' ◇	21441 9



SC



ZP



HDG



SS



HDG



Cut lengths & other sizes available upon request.

SAFETY FACTOR 4:1



condor is a registered trademark of Canada-Europe Ltd.
Representation or reproduction of this document in any form or by any means is strictly prohibited.

WARNING DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN

20 - 01



F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

GRADE 30 CHAINS



SELF-COLOURED


5/16"	1-1/4"	1/2"	1,800	30SC08-14GS	14'	5 ◇	21008 4
3/8"	1-11/32"	5/8"	2,400	30SC10-14GS	14'	5 ◇	21007 7



SC

GRADE 30 CHAIN SLING

Assembled with a clevis grab hook and a clevis slip hook



30SC08-14GS

SELF-COLOURED

1/8"	25/32"	1/4"	300	S30SC03-500	500'	20931 6	C30SC03-16
3/16"	29/32"	3/8"	630	S30SC05-200	200'	20932 3	C30SC05-16
1/4"	1-1/8"	15/32"	1,100	S30SC06-150	150'	20933 0	C30SC06-10
5/16"	1-1/4"	1/2"	1,800	S30SC08-100	100'	20934 7	C30SC08-8
3/8"	1-11/32"	5/8"	2,400	S30SC10-50	50'	20935 4	C30SC10-5
1/2"	1-25/32"	13/16"	4,200	S30SC13-33	33'	20936 1	



ZP

GRADE 30 PROOF COIL CHAIN

Electric welded



C30SC10-5

BRIGHT ZINC PLATED

1/8"	25/32"	1/4"	300	S30ZP03-500	500'	20860 9	R30ZP03-150	150'	21178 4	C30ZP03-16
5/32"	25/32"	11/32"	400	S30ZP04-250	250'	20815 9	R30ZP04-125	125'	21179 1	C30ZP04-16
3/16"	29/32"	3/8"	630	S30ZP05-200	200'	20816 6	R30ZP05-100	100'	21180 7	C30ZP05-16
1/4"	1-1/8"	15/32"	1,100	S30ZP06-150	150'	20817 3	R30ZP06-65	65'	21181 4	C30ZP06-10
5/16"	1-1/4"	1/2"	1,800	S30ZP08-100	100'	20818 0	R30ZP08-60	60'	21182 1	C30ZP08-8
3/8"	1-11/32"	5/8"	2,400	S30ZP10-50	50'	20819 7	R30ZP10-35	35'	21183 8	C30ZP10-5



HDG

HOT DIPPED GALVANIZED

1/8"	25/32"	1/4"	300	S30HDG03-500	500'	20829 6	R30HDG03-150	150'	21184 5	C30HDG03-16
3/16"	29/32"	3/8"	630	S30HDG05-200	200'	20811 1	R30HDG05-100	100'	21185 2	C30HDG05-16
1/4"	1-1/8"	15/32"	1,100	S30HDG06-150	150'	20812 8	R30HDG06-65	65'	21186 9	C30HDG06-10
5/16"	1-1/4"	1/2"	1,800	S30HDG08-100	100'	20813 5				C30HDG08-8
3/8"	1-11/32"	5/8"	2,400	S30HDG10-50	50'	20814 2				C30HDG10-5
1/2"	1-25/32"	13/16"	4,200	S30HDG13-33	33'	20930 9				



SS

GRADE 30 STAINLESS STEEL REGULAR LINK CHAIN

TYPE 304

5/32"	7/8"	9/32"	375	R30SS04-75	75'	21013 8	C30SS04-16
3/16"	15/16"	3/8"	630	R30SS05-75	75'	21014 5	C30SS05-16
1/4"	1-1/16"	3/8"	1,000	R30SS06-50	50'	21015 2	C30SS06-10
5/16"	1-1/4"	1/2"	1,700	R30SS08-35	35'	21016 9	C30SS08-8
3/8"	1-3/8"	19/32"	2,400	R30SS10-15	15'	21416 7	C30SS10-5



TYPE 316 Stainless steel chain available on request.

Cut lengths & other sizes available upon request.

SAFETY FACTOR 4:1

20 - 02

condor is a registered trademark of Canada-Europe Ltd.
Representation or reproduction of this document in any form or by any means is strictly prohibited.

WARNING DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN

condor
CANADA-EUROPE.COM
SINCE 1956

FORGED HOOKS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



7 74470 00000 0
FLAGGED

**WLL
MAX
LBS**
WORKING LOAD LIMIT

FORGED CHAIN HOOKS

Self-coloured varnished

GRADE 30



EYE SLIP HOOK

646-06



CLEVIS SLIP HOOK

648-06



CLEVIS SLIP HOOK
WITH STAINLESS STEEL
SAFETY LATCH

648WL-06

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
646-06	1/4"	1,950	10 ◇	20588 2
646-08	5/16"	2,875	10 ◇	20033 7
646-10	3/8"	4,000	5 ◇	20034 4
646-11	7/16"	5,000	5 ◇	20591 2
646-13	1/2"	6,500	5 ◇	20201 0

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
648-06	1/4"	1,950	10 ◇	20039 9
648-08	5/16"	2,875	10 ◇	20040 5
648-10	3/8"	4,000	5 ◇	20041 2
648-11	7/16"	5,000	5 ◇	20605 6
648-13	1/2"	6,500	5 ◇	20042 9

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
648WL-06	1/4"	1,950	10 ◇	21114 2
648WL-08	5/16"	2,875	10 ◇	21115 9
648WL-10	3/8"	4,000	5 ◇	21116 6
---	---	5,000	---	---
648WL-13	1/2"	6,500	5 ◇	21117 3

EYE GRAB HOOK

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
645-06	1/4"	2,600	10 ◇	20029 0
645-08	5/16"	3,900	10 ◇	20030 6
645-10	3/8"	5,400	5 ◇	20031 3
645-11	7/16"	7,200	5 ◇	20196 9
645-13	1/2"	9,100	5 ◇	20197 6



645-06

CLEVIS GRAB HOOK

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
647-06	1/4"	2,600	10 ◇	20035 1
647-08	5/16"	3,900	10 ◇	20036 8
647-10	3/8"	5,400	5 ◇	20037 5
647-11	7/16"	7,200	5 ◇	20598 1
647-13	1/2"	9,100	5 ◇	20038 2




647-06

TRACTOR DRAWBAR HOOK

Forged of high strength steel, heat treated
Fits tractor drawbar up to 1-5/8" thick
To be used with chain sizes 5/16" to 1/2"

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
M834	1/2"	11,300	5 ◇	20690 2



M834

TWIN CLEVIS MID-LINK

Forged and heat treated
Self-coloured varnished

Barcode	Hook Icon	WLL MAX LBS	Box Icon	Barcode
M605	1/4"-5/16"	4,700	10 ◇	20684 1
M606	3/8"	6,600	10 ◇	20685 8
M608	7/16"-1/2"	11,300	5 ◇	20686 5



M605

GRADE 70



GRADE 70



F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

GRADE 70 CHAINS & HOOKS



HALF-DRUM



PAIL



FLAGGED



MINI-PAIL



WORKING LOAD LIMIT



GRADE 70 SHORT LINK TRANSPORT CHAIN

Light weight, high strength chain designed for trucking, railroad, logging and construction industries. Also used for tying down loads, towing or any application where a high strength-to-weight ratio is required

Yellow chromate finish, links marked "G70"

COMPOSITION: High carbon steel

Added boron to improve hardenability and resistance to breaking

1/4"	0.283"	7/8"	13/32"	WLL MAX LBS	725-06-400	400'	◇	21453 2	S725-06-133	133'	20950 7	C725-06-10	10'	21158 6
5/16"	0.342"	1-1/16"	15/32"	4,700	725-08-275	275'	◇	21454 9	S725-08-92	92'	20951 4	C725-08-6	6'	21159 3
3/8"	0.394"	1-3/16"	9/16"	6,600	725-10-200	200'	◇	21455 6	S725-10-66	66'	20952 1	C725-10-5	5'	21160 9
1/2"	0.515"	1-17/32"	13/16"	11,300	725-13-100	100'	◇	21456 3	S725-13-33	33'	20953 8			



SAFETY FACTOR 4:1

Cut lengths & other sizes available upon request
Cut charge according to chain diameter

GRADE 70 LOAD RATED SHORT LINK CHAIN SLING

Assembled with two clevis grab hooks

Yellow chromate finish, links marked "G70"

With safety tag

5/16"	0.342"	1-1/16"	15/32"	WLL MAX LBS	725-08-20GG	20'	1	21010 7
3/8"	0.394"	1-3/16"	9/16"	6,600	725-10-20GG	20'	1	21009 1

SAFETY FACTOR 4:1

GRADE 70 CLEVIS HOOKS

Extra high tensile heat treated steel to be used with G70 chain

677-06

GRAB HOOK

Yellow chromate



677-06	1/4"	3,150	10	◇	20748 0
677-08	5/16"	4,700	10	◇	20225 6
677-10	3/8"	6,600	5	◇	20226 3
677-13	1/2"	11,000	5	◇	20809 8

677WL-06

FARM GRAB HOOK

Yellow chromate



677WL-06	1/4"	3,150	10	◇	20256 0
677WL-08	5/16"	4,700	10	◇	20257 7
677WL-10	3/8"	6,600	5	◇	20259 1
677WL-13	1/2"	11,000	5	◇	20253 9

With safety latch

688-06

SLIP HOOK

Yellow chromate



688-06	1/4"	2,750	10	◇	20749 7
688-08	5/16"	4,300 <td>10</td> <td>◇</td> <td>20692 6</td>	10	◇	20692 6
688-10	3/8"	5,250	5	◇	20693 3
688-13	1/2"	9,000	5	◇	20808 1

688WL-06

SLIP HOOK




688WL-06	1/4"	2,750	10	◇	20215 7
688WL-08	5/16"	4,300 <td>10</td> <td>◇</td> <td>20216 4</td>	10	◇	20216 4
688WL-10	3/8"	5,250	5	◇	20242 3
688WL-13	1/2"	9,000	5	◇	20254 6

With stainless steel safety latch

LOAD BINDERS

F: 1.855.329.8181 T: 1.800.363.9994



LOAD BINDER

Light weight binder designed for use on boat trailers and recreational vehicles of all kinds. One hook swivel 360° To be used with GRADE 30 or lower grade chain

BX270	3/16" - 1/4"	12"	2-3/4"	7-1/2"	1.50	375	10 ◇	20004 7



BX270

LOAD BINDER

A special heavy duty model complete with two swivels. Hot drop forged steel, heat treated throughout for maximum strength and durability. Non spread design with clevis pins at rear of slot in handle. Special heavy duty forged steel stub hooks with large oval eye and electroweld links

BX271	1/4"	15-1/2"	3-1/2"	12"	3.30	2,600	10 ◇	20005 4
BX320	5/16" - 3/8"	22-1/2"	4-1/2"	16"	7.70	5,400	5 ◇	20322 2
BX340	3/8" - 1/2"	28-1/2"	5-1/8"	18-1/2"	12.80	9,200	4 ◇	20264 5




BX320

RATCHET LOAD BINDER

Easy turning precision threads, rugged ratchet and pawl positive locking action easy release, forged eye bolts

BXR320	5/16" - 3/8"	8"	15"	11.20	6,600	5 ◇	20323 9	
BXR340	3/8" - 1/2"	8"	15-1/2"	11.60	9,200	4 ◇	21011 4	



BXR320

EYE HOOKS

Carbon steel

FIXED EYE HOOK

With safety latch

320CWL-0075	3/4"	13/16"	0.75	10 ◇	20043 6
320CWL-010	7/8"	15/16"	1.00	10 ◇	20044 3
320CWL-015	1-1/16"	15/16"	1.50	10 ◇	20045 0
320CWL-020	1-1/4"	1"	2.00	10 ◇	20046 7
320CWL-030	1-1/2"	1-1/4"	3.00	10 ◇	20134 1
320CWL-050	2"	1-1/4"	5.00	10 ◇	20135 8



320CWL-0075

SWIVEL EYE HOOK

With safety latch

322CWL-0075	0.75	10 ◇	20774 9
322CWL-010	1.00	10 ◇	20775 6
322CWL-015	1.50	10 ◇	20776 3
322CWL-020	2.00	10 ◇	20777 0
322CWL-030	3.00	10 ◇	20778 7
322CWL-050	5.00	10 ◇	20779 4




322CWL-0075

STAINLESS STEEL SAFETY LATCH KIT

S4055-0075	10 ◇	20702 2	S4055-0075R	1	10 ◇ 21410 5
S4055-010	10 ◇	20703 9	S4055-010R	1	10 ◇ 21411 2
S4055-015	10 ◇	20704 6	S4055-015R	1	10 ◇ 21412 9
S4055-020	10 ◇	20705 3	S4055-020R	1	10 ◇ 21413 6
S4055-030	10 ◇	20706 0	S4055-030R	1	8 ◇ 21414 3
S4055-050	10 ◇	20707 7	S4055-050R	1	4 ◇ 21415 0



S4055-0075





F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

WELDED CHAINS



PAIL



REEL



MINI-PAK



CONDOR PAK



WORKING LOAD LIMIT



2/0

BRIGHT ZINC PLATED STEEL



2/0



3/16"



7/8"



15/32"



400



S542-225



225'



21349 8



R542-120



120'



21348 1



C542-10



10'



6 ◇




21063 3

PASSING LINK CHAIN

NICKEL PLATED STEEL



4



4



1/8"



1-1/16"



9/32"



215



R538-100



100'



21366 5



C538-12



12'



4 ◇




21142 5

STRAIGHT LONG LINK CHAIN



2



2



5/32"



1-3/16"



5/16"



310



R541-125



125'



21368 9



C541-12



12'




6 ◇



21062 6



2/0



2/0



3/16"



1-9/32"



3/8"



520



R544-125



125'



21382 5



C544-12



12'




6 ◇



21064 0

BRIGHT ZINC PLATED STEEL



2



5/32"



1-3/16"



5/16"



310



R541-125



125'



21368 9



C541-12



12'



6 ◇



21062 6

NICKEL PLATED STEEL



8



8



1/16"



1/4"



3/32"



35



R500-82



82'



21333 7



C500-8



8'




8 ◇



21118 0



7



7



5/64"



13/32"



1/8"



60



R505-100



100'



21335 1



C505-8



8'




8 ◇



21120 3



6



6



3/32"



7/16"



5/32"



75



R510-100



100'



21337 5



C510-8



8'



8 ◇



21122 7



5



5



1/8"



15/32"



3/16"



140









C515-8



8'



5 ◇




21125 8

BRASS PLATED STEEL



8



8



1/16"



1/4"



3/32"



35



R501-82



82'



21334 4



C501-8



8'



8 ◇



21119 7



7



7



5/64"



13/32"



1/8"



60



R506-49



49'



21336 8



C506-8



8'



8 ◇



21121 0



6



6



3/32"



7/16"



F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

DOUBLE LOOP CHAINS



DOUBLE LOOP CHAIN BRIGHT ZINC PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	Diagram 3	Diagram 4	Diagram 5	Diagram 6	Diagram 7	Diagram 8	Diagram 9	Diagram 10
4	4	5/64"	1"	70	R550-250	250'	21358 0	C550-12	12'	4 ◇	21153 1
3	3	5/64"	1-1/8"	90	R560-200	200'	21359 7	C560-12	12'	4 ◇	21144 9
2	2	3/32"	1-5/16"	115	R565-200	200'	21361 0	C565-12	12'	6 ◇	21155 5
1	1	7/64"	1-9/16"	155	R565PVC-125	125'	21369 6	---	---	---	---
1/0	1/0	1/8"	1-7/8"	200	R575-125	125'	21362 7	C575-12	12'	6 ◇	21074 9
2	2	1/8"	1-7/8"	200	R578-200	200'	21370 2	C578-12	12'	6 ◇	21146 3
1/0	2/0	1/8"	2-3/16"	255	R578PVC-100	100'	21371 9	---	---	---	---
3/0	3/0	9/64"	2-3/16"	255	R579-75	75'	21363 4	C579-12	12'	6 ◇	21075 6
					S589-150	150'	21384 9	C589-12	12'	4 ◇	21076 3

This product is sold in a square pail
 This product is sold in mini-pak



ELECTRICAL FIXTURE CHAIN DOUBLE LOOP CHAIN BRIGHT ZINC PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	Diagram 3	Diagram 4	Diagram 5	Diagram 6	Diagram 7	Diagram 8	Diagram 9
2	2	3/32"	1-5/16"	115	S565-500	500'	21449 5	S565-250	250'	21452 5
3	3	5/64"	1-3/32"	90	S560-500	500'	21448 8	S560-250	250'	21451 8
4	4	5/64"	1"	70	---	---	---	S550-250	250'	21450 1

No	Diagram 1	Diagram 2	WLL MAX LBS	Diagram 3	Diagram 4	Diagram 5	Diagram 6	Diagram 7	Diagram 8	Diagram 9
2	2	3/32"	1-5/16"	115	R565-200	200'	21361 0	B565-100	100'	21314 6
3	3	5/64"	1-3/32"	90	R560-200	200'	21359 7	B560-100	100'	21313 9
4	4	5/64"	1"	70	R550-250	250'	21358 0	B550-100	100'	21421 1

CENTER-CUT BOLT CUTTER



Model	Length	WLL	Qty	Barcode
BC18	18"	5/16"	1	60161 5
BC24	24"	3/8"	1	60162 2
BC36	36"	5/8"	1	60163 9

REPLACEMENT JAWS WITH PLATES

Model	Length	Qty	Barcode
BCH-418	18"	1st	60375 6
BCH-424	24"	1st	60376 3
BCH-436	36"	1st	60377 0

HYDRAULIC CHAIN & CABLE CUTTER



The powerful cutting action uses on safe motion to cut and spread the link
 Self-contained hydraulic power unit gives smooth easy operation
 Cutting Capacity:
 Alloy or Transport Chain up to 3/8" diameter
 High Test Chain up to 1/2" diameter
 Cable up to 3/8" diameter

Model	Diagram 1	Diagram 2	Diagram 3	Diagram 4	Diagram 5	Diagram 6	Diagram 7	Diagram 8
88	3/8" GR.70	5"	10"	14-1/2"	18"	46	20803 6	

REPLACEMENT PARTS

88-A	Replacement blade set	20600 1
88-B	Fixed jaw, w/o blade	20601 8
88-C	Moveable jaw, w/o blade	20602 5
88-D	3 ton Hydraulic jack	20698 8

WELDLESS CHAINS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



PAIL



REEL



BULK PACK



CONDOR PAK



ELECTRICAL




WORKING LOAD LIMIT

SINGLE JACK CHAIN

BRIGHT ZINC PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Diagram 5	Barcode
16	1/16"	1/2"	11	R566-250	250'	21355 9	C566-12	12'	8 ◇	21067 1
14	5/64"	5/8"	16	R564-200	200'	21354 2	C564-12	12'	5 ◇	21066 4
12	7/64"	7/8"	29	R562-100	100'	21353 5	C562-12	12'	5 ◇	21065 7
10	1/8"	1-3/32"	47	R5610-150	150'	21381 8	C5610-12	12'	4 ◇	21145 6




ELECTRICAL FIXTURE CHAIN

Single jack chain

BRIGHT ZINC PLATED STEEL



No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Barcode
10	1/8"	1-3/32"	47	S5610-500	500'	21417 4	S5610-250	250'	21380 1
12	3/32"	7/8"	29	---	---	---	S562-300	300'	21423 5



No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Barcode
10	1/8"	1-3/32"	47	R5610-250	250'	21419 8	B5610-50	50'	21377 1
12	3/32"	7/8"	29	R562-100	100'	21353 5	B562-50	50'	21424 2




SINGLE JACK CHAIN

BRASS PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Diagram 4	Diagram 5	Barcode
16	1/16"	1/2"	11	C576-12	12'	8 ◇		21128 9
14	5/64"	5/8"	16	C574-12	12'	5 ◇		21127 2
12	7/64"	7/8"	29	C572-12	12'	5 ◇		21154 8




C576-12



SASH CHAIN

BRIGHT ZINC PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Barcode	
8	23/32"	1/8"	75	R528-200	200'	21346 7	C528-12	12'	5 ◇	21152 4
35	3/4"	3/16"	106	R522-100	100'	21345 0	C522-12	12'	6 ◇	21059 6



SOLID BRASS SAFETY CHAIN

No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Barcode	
1/0	21/32"	1/8"	35	R520-200	200'	21344 3	C520-8	8'	8 ◇	21058 9




FURNACE CHAIN

BRIGHT ZINC PLATED STEEL

No	Diagram 1	Diagram 2	WLL MAX LBS	CP	Diagram 3	Barcode	CP	Diagram 4	Barcode	
91	21/32"	9/64"	41	R591-250	250'	21383 2	C591-8	8'	8 ◇	21129 6





F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



HOBBY & BEADED CHAINS



R600

R601

HOBBY CHAINS CLOCK CHAIN

No	Diagram	Diagram	Diagram	F
5	1/16"	5/16"	7/64"	Brass
5	1/16"	5/16"	7/64"	Nickel

Diagram	Diagram	Barcode	CP	Diagram	Diagram	Barcode
R600-82	82'	21373 3	C600-8	8'	10 ◇	21130 2
R601-82	82'	21374 0	C601-8	8'	10 ◇	21131 9



R602

SASH CHAIN

No	Diagram	Diagram	F
3	3/4"	1/8"	Chrome

Diagram	Diagram	Barcode	CP	Diagram	Diagram	Barcode
R602-82	82'	21375 7	C602-8	8'	8 ◇	21132 6



R603

OVAL LINK CHAIN

No	Diagram	Diagram	Diagram	F
19	3/64"	3/16"	1/8"	Brass

Diagram	Diagram	Barcode	CP	Diagram	Diagram	Barcode
R603-82	82'	21376 4	C603-8	8'	10 ◇	21133 3



BCB

No	F	Diagram
3	Brass	3/32"
3	Nickel	3/32"
6	Brass	1/8"
6	Nickel	1/8"
6	White	1/8"
10	Brass	3/16"
10	Nickel	3/16"



BCN



BCW

Diagram	Diagram	Barcode	CP	Diagram	Diagram	Barcode
RBCB3-100	100'	21317 7	CBCB3-8	8'	10 ◇	21135 7
RBCN3-100	100'	21320 7	CBCN3-8	8'	10 ◇	21137 1
RBCB6-100	100'	21318 4	CBCB6-8	8'	10 ◇	21136 4
RBCN6-100	100'	21321 4	CBCN6-8	8'	10 ◇	21138 8
RBCW6-100	100'	21322 1	CBCW6-8	8'	10 ◇	21199 9
RBCB10-100	100'	21316 0	CBCB10-8	8'	8 ◇	21134 0
RBCN10-100	100'	21319 1	CBCN10-8	8'	8 ◇	21077 0



BCB

BCN

BCW

TYPE B

COUPLING

No	F	Diagram	Diagram	Diagram	Barcode	Diagram	Diagram	Barcode						
3	Brass	3/32"	11/32"	BCB3B	100	20655 1	BCB3B-P	6	20 ◇ (x6)	20155 6	BCB3BR	6	10 (x6)	21403 7
3	Nickel	3/32"	11/32"	BCN3B	100	20663 6	BCN3B-P	6	20 ◇ (x6)	20158 7	BCN3BR	6	10 (x6)	21404 4
6	Brass	1/8"	1/2"	BCB6B	100	20658 2	BCB6B-P	6	20 ◇ (x6)	20156 3	BCB6BR	6	10 (x6)	21405 1
6	Nickel	1/8"	1/2"	BCN6B	100	20666 7	BCN6B-P	6	20 ◇ (x6)	20159 4	BCN6BR	6	10 (x6)	21422 8
6	White	1/8"	1/2"	BCW6B	100	20167 9	BCW6B-P	6	20 ◇ (x6)	20170 9	BCW6BR	6	10 (x6)	21407 5
10	Brass	3/16"	5/8"	BCB10B	100	20653 7	BCB10B-P	6	20 ◇ (x6)	20157 0	BCB10BR	6	10 (x6)	21408 2
10	Nickel	3/16"	5/8"	BCN10B	100	20661 2	BCN10B-P	6	20 ◇ (x6)	20160 0	BCN10BR	6	10 (x6)	21409 9

TYPE P

BELL END PULL

No	F	Diagram	Diagram	Diagram	Diagram	Barcode
3 - 6 - 10	Brass	1/4"	7/16"	BCB6P	100	20659 9
3 - 6 - 10	Nickel	1/4"	7/16"	BCN6P	100	20667 4

BCB

BCN

TYPE A

END RING CONNECTOR

No	F	Diagram	Diagram	Diagram	Barcode	
3 - 6	Brass	1/8"	13/32"	BCB6A	100	20657 5
3 - 6	Nickel	1/8"	13/32"	BCN6A	100	20665 0
10	Brass	3/16"	9/16"	BCB10A	100	20652 0
10	Nickel	3/16"	9/16"	BCN10A	100	20660 5

BCB

BCN

20 - 10

WARNING DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN

condor
CANADA-EUROPE.COM
SINCE 1956

condor is a registered trademark of Canada-Europe Ltd.

Representation or reproduction of this document in any form or by any means is strictly prohibited.

DECORATIVE CHAINS

F: 1.855.329.8181 T: 1.800.363.9994



PAIL



REEL



FLAGGED



BAGGED BY PAIR



MINI-PAIL



CARDED BY PAIR



CARDED



CONDOR PAK



DECORATIVE CHAIN

Standard oval link.

	F											
R570SN-50	Satin Nickel (C15)	1/8"	1-9/32"	50'	21327 6	C570SN-8	8'	4	21157 9			
R570AC-50	Antique Copper (C12A)	1/8"	1-9/32"	50'	21328 3	C570AC-8	8'	4	21156 2			
R570B-50	Brass (C3)	1/8"	1-9/32"	50'	21324 5	C570B-8	8'	4	21069 5			
R570AB-50	Antique Brass (C5)	1/8"	1-9/32"	50'	21323 8	C570AB-8	8'	4	21078 7			
R570N-50	Nickel (C14)	1/8"	1-9/32"	50'	21325 2	C570N-8	8'	4	21070 1			
R570BL-50	Black (C19)	1/8"	1-9/32"	50'	21365 8	C570BL-8	8'	4	21068 8			
R570W-50	White	1/8"	1-9/32"	50'	21326 9	C570W-8	8'	4	21073 2			



R570BL-50



C570AC-8

CEILING HOOK

Hook with toggle bolt

	F											
5788SN	Satin Nickel (C15)	1-1/2"	1 pr	10 pr	21097 8	5788SNR	1 pr	8 pr	21396 2			
5788AC	Antique Copper (C12A)	1-1/2"	1 pr	10 pr	21315 3	5788ACR	1 pr	8 pr	21397 9			
5788B	Brass (C3)	1-1/2"	1 pr	10 pr	20149 5	5788BR	1 pr	8 pr	21398 6			
5788AB	Antique Brass (C5)	1-1/2"	1 pr	10 pr	20152 5	5788ABR	1 pr	8 pr	21399 3			
5788N	Nickel (C14)	1-1/2"	1 pr	10 pr	20154 9	5788NR	1 pr	8 pr	21400 6			
5788BL	Black (C19)	1-1/2"	1 pr	10 pr	20153 2	5788BLR	1 pr	8 pr	21401 3			
5788W	White	1-1/2"	1 pr	10 pr	20150 1	5788WR	1 pr	8 pr	21402 0			



5788N

T-BAR CEILING TRACK HOOKS

ALUMINIUM WHITE ENAMELLED

5791WS	1-1/2"	100 st	21458 7	5791W	2 st	10 st	50972 0	5791WR	2 st	10 st	51833 3	

PLASTIC

5792PVCS	1-1/2"	100	21457 0	5792PVC	2	10	50973 7	5792PVC R	2	10	51834 0	
-----------------	--------	-----	---------	----------------	---	----	---------	------------------	---	----	---------	--



5791WS

5792PVCS

PLASTIC CHAIN

	F											
R627W-130	White	1/4"	1-1/2"	130'	21329 0	C627W-20	20'	6	21147 0			
R627Y-130	Yellow	1/4"	1-1/2"	130'	21331 3	C627Y-20	20'	6	21149 4			
R627BL-130	Black	1/4"	1-1/2"	130'	21332 0	C627BL-20	20'	6	21150 0			
R627FL-130	Fluorescent	1/4"	1-1/2"	130'	21330 6	C627FL-20	20'	6	21148 7			
● S628W-70	White	5/16"	2"	70'	21379 5	C628W-10	10'	6	21151 7			

● This product is sold in a square pail



R627Y-130



C627Y-20

PLASTIC QUICK LINK

	F											
629-3W	White	2-3/8"	3	10	(x3)	20001 6	629-3WR	3	12	(x3)	21390 0	
629-3Y	Yellow	2-3/8"	3	10	(x3)	20846 3	629-3YR	3	12	(x3)	21391 7	
629-3BL	Black	2-3/8"	3	10	(x3)	20745 9	629-3BLR	3	12	(x3)	21392 4	



629-3Y

PLASTIC CONNECTING LINK

	F											
628-4W	White	1-5/8"	4	10	(x4)	20189 1	628-4WR	4	10	(x4)	21393 1	
628-4Y	Yellow	1-5/8"	4	10	(x4)	20845 6	628-4YR	4	10	(x4)	21394 8	
628-4BL	Black	1-5/8"	4	10	(x4)	20746 6	628-4BLR	4	10	(x4)	21395 5	



628-4Y



condor is a registered trademark of Canada-Europe Ltd.
Representation or reproduction of this document in any form or by any means is strictly prohibited.

WARNING DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN



F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack


AWNING PULLEYS



356HD15



653HD15



654HD15



356-05



653-05



654-05

HEAVY DUTY PULLEYS

Zinc plated

SWIVEL EYE SINGLE

356HD15	1-1/2"	3/8"	420	12 ◇	21106 7
356HD20	2"	3/8"	480	12 ◇	21107 4
356HD30	3"	1/2"	650	6 ◇	21108 1

FIXED EYE SINGLE

653HD15	1-1/2"	3/8"	420	12 ◇	21109 8
653HD20	2"	3/8"	480	12 ◇	21110 4
653HD25	2-1/2"	3/8"	550	6 ◇	21111 1
653HD30	3"	1/2"	650	6 ◇	21112 8

FIXED EYE DOUBLE

654HD15	1-1/2"	3/8"	400	12 ◇	21113 5

AWNING PULLEYS

Cast iron, galvanized

SWIVEL EYE SINGLE

356-05	1/2"	5/32"	24 ◇	20674 2
356-075	3/4"	1/4"	24 ◇	20675 9
356-10	1"	1/4"	24 ◇	20676 6
356-125	1-1/4"	5/16"	12 ◇	20677 3
356-15	1-1/2"	3/8"	12 ◇	20678 0
356-20	2"	3/8"	12 ◇	20679 7

FIXED EYE SINGLE

653-05	1/2"	5/32"	24 ◇	20609 4
653-075	3/4"	1/4"	24 ◇	20610 0
653-10	1"	1/4"	24 ◇	20611 7
653-125	1-1/4"	5/16"	12 ◇	20612 4
653-15	1-1/2"	3/8"	12 ◇	20613 1
653-20	2"	7/16"	12 ◇	20614 8
653-25	2-1/2"	1/2"	6 ◇	20615 5
653-30	3"	1/2"	6 ◇	20616 2

FIXED EYE DOUBLE

654-05	1/2"	5/32"	24 ◇	20617 9
654-075	3/4"	1/4"	24 ◇	20618 6
654-10	1"	1/4"	24 ◇	20619 3
654-125	1-1/4"	5/16"	12 ◇	20620 9
654-15	1-1/2"	3/8"	12 ◇	20621 6
654-20	2"	3/8"	12 ◇	20622 3
654-25	2-1/2"	1/2"	6 ◇	20623 0
654-30	3"	5/8"	6 ◇	20624 7

QUICK LINKS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



BULK PACK



FLAGGED



CONDOR PAK



STAINLESS STEEL



WORKING LOAD LIMIT

QUICK LINK

Zinc plated steel
Threads on both ends for guiding the nut
No tool necessary



2333-03



2333-03CP



1/8"	7/16"	1-7/32"	3/16"	2333-03	20	100	◇	20830 2	2333-03BC	20	100	◇	20445 8	2333-03CP 16	8	◇	(x16)	21162 3
5/32"	15/32"	1-11/32"	3/16"	2333-04	20	100	◇	20831 9	2333-04BC	20	100	◇	20446 5	---	---	---	---	---
3/16"	1/2"	1-17/32"	1/4"	2333-05	20	100	◇	20832 6	2333-05BC	20	100	◇	20447 2	2333-05CP 12	8	◇	(x12)	21163 0
1/4"	9/16"	1-25/32"	9/32"	2333-06	10	100	◇	20833 3	2333-06BC	10	100	◇	20448 9	2333-06CP 10	5	◇	(x10)	21164 7
5/16"	21/32"	2-9/32"	13/32"	2333-08	10	60	◇	20834 0	2333-08BC	10	60	◇	20449 6	2333-08CP 4	5	◇	(x4)	21165 4
3/8"	13/16"	2-3/4"	15/32"	2333-10	10	30	◇	20835 7	2333-10BC	10	30	◇	20450 2	2333-10CP 3	5	◇	(x3)	21192 0
7/16"	7/8"	2-3/4"	17/32"	2333-11	5	20	◇	20836 4	2333-11BC	5	20	◇	20788 6					
1/2"	15/16"	3-7/32"	9/16"	2333-13	5	20	◇	20837 1	2333-13BC	5	20	◇	20789 3					

FRENCH QUICK LINK

HIGH STRENGTH
Zinc plated steel
Manual and entire closing of the nut to guarantee the highest safety (working load limit engraved on the product)
Easy-to-use (no tool necessary even under tension)
Easy maintenance and fair lifetime in sheltered areas



1333-03



1/8"	3/8"	1-5/32"	3/16"	WLL MAX LBS	2333-03	20	20067 2	1333-03BC	20	20500 4
3/16"	1/2"	1-9/16"	1/4"	620	2333-05	20	20068 9	1333-05BC	20	20501 1
1/4"	9/16"	1-25/32"	9/32"	890	2333-06	20	20069 6	1333-06BC	20	20502 8
5/16"	11/16"	2-9/32"	7/16"	1,550	2333-08	20	20070 2	1333-08BC	20	20503 5
3/8"	3/4"	2-7/16"	7/16"	2,000	2333-10	20	20071 9	1333-10BC	20	20505 9
7/16"	13/16"	2-23/32"	15/32"	2,440	2333-11	10	20072 6	1333-11BC	10	20790 9
1/2"	15/16"	3-5/32"	19/32"	3,330	2333-13	10	20416 8	1333-13BC	10	20791 6
9/16"	1-1/32"	3-21/32"	21/32"	4,880	2333-14	10	20073 3			
5/8"	1-5/32"	4-1/4"	3/4"	6,440	2333-16	10	20074 0			
11/16"	1-9/32"	4-3/4"	29/32"	7,770	2333-17	10	20075 7			

STAINLESS STEEL QUICK LINK

Threads on both ends for guiding the nut
No tool necessary
TYPE 316



1/8"	3/8"	1-5/32"	3/16"	2333SS-03BC	5	25	◇	20361 1
5/32"	15/32"	1-5/16"	1/4"	2333SS-04BC	5	25	◇	20359 8
3/16"	1/2"	1-9/16"	9/32"	2333SS-05BC	5	25	◇	20357 4
1/4"	19/32"	1-27/32"	5/16"	2333SS-06BC	5	25	◇	20355 0
5/16"	3/4"	2-5/16"	7/16"	2333SS-08BC	5	25	◇	20353 6
3/8"	7/8"	2-27/32"	1/2"	2333SS-10BC	5	25	◇	20370 3



2333SS-03BC



F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

ACCESSORIES



BULK PACK

FLAGGED

WORKING LOAD LIMIT

WORKING LOAD LIMIT

MISSING LINK

Hot dipped galvanized drop forged



701-05BC



701-05BC	3/16"	11/16"	11/32"	10	20628 5
701-06BC	1/4"	7/8"	7/16"	10	20629 2
701-08BC	5/16"	15/16"	15/32"	10	20630 8
701-10BC	3/8"	1-1/8"	9/16"	10	20631 5
701-13BC	1/2"	1-15/32"	21/32"	10	20632 2

COLD SHUT

Zinc plated steel



631-05BC



631-05BC	3/16"	7/8"	20	20569 1
631-06BC	1/4"	1"	20	20570 7
631-08BC	5/16"	1-3/16"	20	20571 4
631-10BC	3/8"	1-5/16"	20	20572 1
631-11BC	7/16"	1-1/2"	10	20573 8
631-13BC	1/2"	1-9/16"	10	20574 5

SPLIT REPAIR (LAP) LINK

Zinc plated steel



635-03BC



635-03BC	1/8"	3/4"	20	20575 2
635-05BC	3/16"	1"	20	20576 9
635-06BC	1/4"	1-1/4"	20	20577 6
635-08BC	5/16"	1-1/2"	20	20578 3
635-10BC	3/8"	1-5/8"	20	20579 0
635-13BC	1/2"	2-1/2"	10	20580 6

GALVANIZED CHAIN SHACKLE

Drop forged steel, hot dipped galvanized
Collar pins are galvanized after threading



610G05



610G05	3/16"	1/4"	3/8"	3/4"	3/8"	0.08	10	20546 2
610G06	1/4"	5/16"	1/2"	15/16"	1/2"	0.15	10	20547 9
610G08	5/16"	3/8"	5/8"	1-3/16"	9/16"	0.26	10	20548 6
610G10	3/8"	7/16"	7/8"	1-1/2"	3/4"	0.45	10	20549 3
610G11	7/16"	1/2"	13/16"	1-3/4"	13/16"	0.55	10	20169 3
610G13	1/2"	9/16"	1"	1-13/16"	13/16"	0.75	5	20550 9
610G16	5/8"	3/4"	1-1/4"	2-13/16"	1"	1.15	5 ◇	20551 6
610G19	3/4"	7/8"	1-1/2"	3-3/16"	1-1/4"	1.70	5 ◇	20552 3
610G22	7/8"	1"	1-1/2"	3-3/8"	1-1/4"	2.30	5 ◇	20553 0
610G25	1"	1-1/8"	1-13/16"	3-1/2"	1-11/16"	3.00	5 ◇	20554 7

FARM STRAIGHT SHACKLE

Forged of high strength steel,
zinc plated, heat treated pin



M8878



M8878	7/8"	3/4"	2-5/8"	4-1/2"	1-5/16"	16,000	5 ◇	20691 9
M8178	15/16"	7/8"	3"	4-3/4"	1-3/8"	16,000	5 ◇	20688 9

ANCHOR SHACKLES

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



GALVANIZED ANCHOR SHACKLE

Drop forged steel, hot dipped galvanized
Collar pins are galvanized after threading

					WLL MAX TON
3/16"	1/4"	5/8"	3/4"	3/8"	0.08
1/4"	5/16"	17/32"	1-1/8"	1/2"	0.15
5/16"	3/8"	3/4"	1-3/16"	1/2"	0.26
3/8"	7/16"	1-3/16"	1-7/16"	11/16"	0.45
7/16"	1/2"	1-3/8"	1-5/8"	11/16"	0.55
1/2"	9/16"	1-1/2"	1-15/16"	13/16"	0.75
5/8"	3/4"	2"	2-3/4"	1-1/16"	1.15
3/4"	7/8"	2-1/8"	2-7/8"	1-5/32"	1.70
7/8"	1"	2-5/8"	3-1/2"	1-1/2"	2.30
1"	1-1/8"	2-7/8"	3-11/16"	1-1/2"	3.00

---	Barcode	---	---	---	Barcode
---	601G05BC	10	100	◇	20524 0
---	601G06BC	10	50	◇	20525 7
---	601G08BC	10	50	◇	20526 4
---	601G10BC	10	50	◇	20527 1
---	601G11BC	10	20	◇	20528 8
---	601G13BC	5	20	◇	20529 5
---	601G16BC	5	---	---	20530 1
---	601G19BC	5	---	---	20531 8
601G22	---	5	---	---	20151 8
601G25	---	5	---	---	20533 2



STAINLESS STEEL ANCHOR SHACKLE

With screw collar pin
TYPE 304

					WLL MAX TON
3/16"	1/4"	5/8"	7/8"	3/8"	0.08
1/4"	5/16"	3/4"	1-1/8"	7/16"	0.15
5/16"	3/8"	3/4"	1-3/16"	1/2"	0.26
3/8"	7/16"	1-3/16"	1-7/16"	11/16"	0.45

Barcode	---	---	---	Barcode
601GSS-05BC	5	25	◇	20343 7
601GSS-06BC	5	25	◇	20341 3
601GSS-08BC	5	25	◇	20339 0
601GSS-10BC	5	25	◇	20337 6




LOAD RATED GALVANIZED ANCHOR SHACKLE

Drop forged, alloy steel, hot dipped galvanized
As per Federal specifications RR-C-271A. Type IV Class 1
Load limit and size embossed on body of shackle
Material: C-1045 steel body, AISI 4130, alloy steel pin

					WLL MAX TON
3/16"	1/4"	5/8"	7/8"	13/32"	0.33
1/4"	5/16"	25/32"	1-1/8"	7/16"	0.50
5/16"	3/8"	27/32"	1-7/32"	9/16"	0.75
3/8"	7/16"	1-1/32"	1-7/16"	5/8"	1.00
7/16"	1/2"	1-5/32"	1-11/16"	11/16"	1.50
1/2"	5/8"	1-5/16"	1-7/8"	13/16"	2.00
5/8"	3/4"	1-11/16"	2-3/8"	1-1/16"	3.25
3/4"	7/8"	2"	2-3/4"	1-1/4"	4.75
7/8"	1"	2-9/32"	3-1/4"	1-3/8"	6.50
1"	1-1/8"	2-11/16"	3-5/8"	1-3/4"	8.50
1-1/8"	1-1/4"	2-7/8"	4-1/4"	1-3/4"	9.50
1-1/4"	1-3/8"	3-1/4"	4-11/16"	2"	12.00
1-1/2"	1-9/16"	3-7/8"	5-3/4"	2-3/8"	17.00

---	---	---	---	Barcode	---	---	Barcode		
---	---	---	---	609G05BC	10	100	◇	20987 3	
609G06	10	50	◇	20534 9	609G06BC	10	50	◇	20980 4
609G08	10	50	◇	20535 6	609G08BC	10	50	◇	20981 1
609G10	10	50	◇	20536 3	609G10BC	10	50	◇	20982 8
609G11	10	20	◇	20537 0	609G11BC	10	20	◇	20983 5
609G13	5	20	◇	20538 7	609G13BC	5	20	◇	20984 2
609G16	5	---	---	20539 4	609G16BC	5	---	---	20985 9
609G19	5	---	---	20540 0	609G19BC	5	---	---	20986 6
609G22	5	---	---	20541 7					
609G25	5	---	---	20542 4					
609G29	5	---	---	20543 1					
609G32	5	---	---	20544 8					
609G38	5	---	---	20545 5					





F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

SNAP HOOKS



BULK PACK

7 74470XXXXXX

CONDOR PAK

STAINLESS STEEL



2355/50

ZINC PLATED

	mm		
3/16"	5	2"	5/16"
1/4"	6	2-3/8"	3/8"
5/16"	8	3-1/8"	7/16"
3/8"	10	4"	1/2"
7/16"	11	4-3/4"	3/4"
15/32"	12	5-1/2"	7/8"

2355/50	10 100 ◇	20914 9	
2355/60	10 100 ◇	20915 6	
2355/80	10 50 ◇	20916 3	
2355/100	10 50 ◇	20911 8	
2355/120	5 20 ◇	20912 5	
2355/140	5 20 ◇	20913 2	

2355/50BC	10 100 ◇	20452 6	
2355/60BC	10 100 ◇	20453 3	
2355/80BC	10 50 ◇	20454 0	
2355/100BC	10 50 ◇	20451 9	
2355/120BC	5 20 ◇	20786 2	
2355/140BC	5 20 ◇	20787 9	



2355/50CP ZINC PLATED

2355/50CP	8 8 ◇ (x8)	21174 6	
2355/60CP	6 8 ◇ (x6)	21175 3	
2355/80CP	4 5 ◇ (x4)	21176 0	
2355/100CP	3 5 ◇ (x3)	21191 3	

STAINLESS STEEL SECURITY WIRE SNAP

TYPE 316



	mm		
3/16"	5	2"	5/16"
1/4"	6	2-3/8"	3/8"
5/16"	8	3-1/8"	7/16"
3/8"	10	4"	1/2"
7/16"	11	4-3/4"	3/4"

2355SS/50BC	5 ◇ 25 ◇	20349 9	
2355SS/60BC	5 ◇ 25 ◇	20347 5	
2355SS/80BC	5 ◇ 25 ◇	20345 1	
2355SS/100BC	5 ◇ 25 ◇	20351 2	
2355SS/120BC	5 ◇ 25 ◇	21161 6	



2355SS/100BC

SWIVEL EYE SIMPLEX SNAP

NICKEL PLATED



734ABC

734ABC

1/2"

1-1/2"

3/8"



10



20644 5



FIXED EYE SNAPS

BOAT SNAP

POLISHED SOLID BRASS



2363/0BC

2363/0BC

7/16"

2-1/8"

1/4"



10



20458 8

2363/1BC

5/8"

2-7/8"

5/8"

10

20459 5

2363/2BC

3/4"

3-1/4"

3/4"

10

20460 1

2363/3BC

3/4"

3-7/8"

7/8"

10

20461 8



STAINLESS STEEL BOAT SNAP

TYPE 304



2363SS/2BC

2363SS/2BC

3/4"

3-1/4"

3/4"

5 ◇

21087 9



BABY SNAP

NICKEL PLATED MALLEABLE IRON



150BC

150BC

3/8"

1-7/8"

3/8"

10

20433 5



ROUND EYE CHAMPION SNAP

NICKEL PLATED MALLEABLE IRON



108-19BC

108-19BC

3/4"

3-1/4"

11/16"

10

20404 5



SQUARE EYE CHAMPION SNAP

NICKEL PLATED MALLEABLE IRON



135-19BC

135-19BC

3/4"

3"

1/4"

10

20426 7

135-25BC

1"

3-1/8"

1/4"

10

20427 4

135-29BC

1-1/8"

3-1/8"

1/4"

10

20428 1

135-38BC

1-1/2"

3-1/8"

1/4"

5

20429 8

135-51BC

2"

3-1/2"

1/4"

5

20430 4



condor is a registered trademark of Canada-Europe Ltd.

Representation or reproduction of this document in any form or by any means is strictly prohibited.



WARNING

DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN



SWIVEL EYE SNAP HOOKS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



7 74470 0XXXXX 0X
FLAGGED



STAINLESS STEEL

SWIVEL EYE SNAPS

BOLT SNAPS

NICKEL PLATED MALLEABLE IRON

50-10BC	3/8"	2-1/2"	1/4"	10	20514 1
50-13BC	1/2"	3"	7/16"	10	20515 8
50-16BC	5/8"	3-1/8"	1/4"	10	20516 5
50-19BC	3/4"	3-1/2"	1/4"	10	20517 2
50-25BC	1"	3-1/2"	5/16"	10	20518 9
50-28BC	1-1/8"	4-1/4"	7/16"	10	20519 6

STAINLESS STEEL BOLT SNAP

TYPE 304

50SS-13BC	1/2"	3"	7/16"	5 ◇	21085 5
-----------	------	----	-------	-----	---------

POLISHED SOLID BRASS

2359-13BC	1/2"	3"	5/16"	10	20455 7
2359-19BC	3/4"	3"	3/8"	10	20456 4
2359-25BC	1"	3-1/2"	3/8"	10	20457 1

BOAT SNAP

POLISHED SOLID BRASS

2364/1BC	5/8"	3-1/8"	3/8"	10	20462 5
2364/2BC	3/4"	3-3/4"	7/8"	10	20463 2
2364/3BC	1"	4-1/2"	7/8"	10	20464 9

STAINLESS STEEL BOAT SNAP

TYPE 304

2364SS/2BC	3/4"	3-1/4"	5/8"	5 ◇	21086 2
------------	------	--------	------	-----	---------

ROUND EYE CHAMPION SPRING SNAP

NICKEL PLATED

1088BC	3/8"	2-1/2"	3/8"	10	20408 3

SQUARE ROLLER EYE SNAP

NICKEL PLATED

1089BC	5/8"	2-5/8"	5/8"	10	20409 0
--------	------	--------	------	----	---------

SCISSOR (TRIGGER) SNAP

NICKEL PLATED IRON

4218BC	5/8"	2-5/8"	5/8"	10	20504 2
--------	------	--------	------	----	---------

SQUARE EYE BOLT SNAP

NICKEL PLATED MALLEABLE IRON

52-19BC	3/4"	3"	3/8"	10	20520 2
52-25BC	1"	3"	3/8"	10	20521 9

LEVER SNAP, STAINLESS SPRING

NICKEL PLATED MALLEABLE IRON

188-16BC	5/8"	3-1/4"	7/16"	10	20436 6
188-19BC	3/4"	3-3/8"	3/8"	10	20437 3
188-25BC	1"	3-1/2"	7/16"	10	20438 0
188-29BC	1-1/8"	4-3/4"	1/2"	10	20439 7



50-10BC



50SS-13BC



2359-13BC



2364/1BC



2364SS/2BC



1088BC



1089BC



4218BC



52-19BC









188-16BC



OPEN EYE SNAPS

OPEN EYE CHAMPION SNAP NICKEL PLATED MALLEABLE IRON

					
1087BC	3/8"	2-1/2"	1/2"	10	20407 6

BOLT SNAP

NICKEL PLATED MALLEABLE IRON

70BC	7/16"	4"	5/16"	10	20627 8
----------------------	-------	----	-------	----	---------

POLISHED SOLID BRASS

232BBC	7/16"	4"	3/4"	10	20444 1
------------------------	-------	----	------	----	---------

DOUBLE EYE SNAPS

DOUBLE BOLT SNAPS

POLISHED SOLID BRASS

					
163BBC	7/16"	4-1/2"	1/2"	10	20434 2

NICKEL PLATED MALLEABLE IRON

72-35BC	7/16"	3-5/8"	5/16"	10	20638 4
-------------------------	-------	--------	-------	----	---------

72-4BC	7/16"	4-3/8"	7/16"	10	20639 1
------------------------	-------	--------	-------	----	---------

72-45BC	7/16"	4-3/4"	7/16"	10	20640 7
-------------------------	-------	--------	-------	----	---------

DOUBLE EYE BREAST SNAP







NICKEL PLATED MALLEABLE IRON

187BC	---	5-1/4"	7/16"	5	20089 4
-----------------------	-----	--------	-------	---	---------

HEAVY DUTY SNAPS

ROUND SWIVEL EYE BULL SNAP

NICKEL PLATED MALLEABLE IRON

					
3142BC	7/8"	4"	9/16"	10	20484 7
3145BC	1"	5"	9/16"	5	20485 4

FIXED EYE PANIC SNAP

NICKEL PLATED MALLEABLE IRON

1001BC	1/2"	4"	1/2"	5	20400 7
------------------------	------	----	------	---	---------

SWIVEL EYE PANIC SNAP

NICKEL PLATED MALLEABLE IRON

1002BC	7/8"	4-3/4"	7/8"	5	20401 4
------------------------	------	--------	------	---	---------

MOORING SNAP

NICKEL PLATED MALLEABLE IRON

2311BC	3/4"	3-1/2"	9/16"	5	20443 4
------------------------	------	--------	-------	---	---------



1087BC



70BC



232BBC



163BBC



72-35BC



187BC



3142BC



1001BC



1002BC



2311BC

SNAP HOOKS & SWIVELS

F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack



7 74470 10000 0


**WLL
MAX
LBS**
FLAGGED WORKING LOAD LIMIT

HEAVY DUTY SNAP

STEEL SECURITY SNAP

YELLOW CHROMATE

				WLL MAX LBS					
	mm	mm	mm			7 74470...			
3113-85BC	5/8"	15.9	3-7/16"	87.3	5-3/4"	146.0	500	5 ◇	20133 4
3113-100BC	27/32"	21.4	4"	101.6	6-1/2"	165.1	650	5 ◇	20132 7



STEEL CHAIN SWIVEL

ZINC PLATED

				WLL MAX LBS					
	mm	mm	mm			7 74470...			
6260BC	1/4"	6	23/32"	18	3"	76	900	10 ◇	20562 2
6270BC	9/32"	7	25/32"	20	3-3/8"	86	1,250	10 ◇	20563 9
6280BC	5/16"	8	29/32"	23	3-27/32"	98	1,400	10 ◇	20564 6



HEAVY DUTY SNAP

SECURITY SNAP

SOLID BRASS

	mm	mm		7 74470...
3002BC	1-1/8"	4-1/4"	5	20750 3



CHAIN SWIVEL

NICKEL PLATED MALLEABLE IRON

	mm	mm	mm		7 74470...
466-05BC	3/16"	1/4"	1-13/16"	20	20510 3
466-06BC	1/4"	3/8"	2-3/8"	20	20511 0
466-08BC	5/16"	1/2"	2-3/4"	10	20512 7
466-10BC	3/8"	7/16"	3-1/8"	10	20513 4



FORGED STEEL SWIVELS

GALVANIZED

EYE & EYE

				WLL MAX LBS		
	mm	mm	mm			7 74470...
467-10BC	3/8"	4-5/16"	1-1/4"	2,250	5 ◇	21100 5
467-13BC	1/2"	5-7/16"	1-1/2"	3,600	5 ◇	21101 2



JAW & EYE

					WLL MAX LBS		
	mm	mm	mm	mm			7 74470...
469-10BC	3/8"	3-5/8"	1-1/4"	5/8"	2,250	5 ◇	21104 3
469-13BC	1/2"	4-1/2"	1-1/2"	3/4"	3,600	5 ◇	21105 0





F: 1.855.329.8181 T: 1.800.363.9994

◇ breakable pack

RINGS & KEY ACCESSORIES



BULK PACK

FLAGGED

CARDED

STAINLESS STEEL

NICKEL PLATED STEEL



1336-075BC



3/16"	3/4"
3/16"	1"
3/16"	1-1/4"
1/4"	1-1/2"
1/4"	1-3/4"
1/4"	2"



7 74470...



7 74470...

WELDED ROUND RING

---	---	---	---	---	---	1336-075BC	20	200	◇	20780 0
1336-1	20	200	◇	20903 3	---	1336-1BC	20	200	◇	20420 5
1336-125	20	100	◇	20904 0	---	1336-125BC	20	100	◇	20421 2
1336-15	20	100	◇	20905 7	---	1336-15BC	20	100	◇	20422 9
---	---	---	---	---	---	1336-175BC	20	100	◇	20781 7
1336-2	20	100	◇	20907 1	---	1336-2BC	20	100	◇	20423 6

STAINLESS STEEL WELDED ROUND RING

TYPE 304



1336SS-1BC



7 74470...

1336SS-1BC	3/16"	1"	5	25	◇	20369 7
1336SS-125BC	3/16"	1-1/4"	5	25	◇	20367 3
1336SS-15BC	1/4"	1-1/2"	5	25	◇	20365 9
1336SS-2BC	1/4"	2"	5	25	◇	20363 5

HOT DIPPED GALVANIZED CARBON STEEL



1347-15BC



7 74470...

1347-15BC	1/4"	1-1/2"	20	100	◇	20782 4
1347-2BC	1/4"	2"	20	80	◇	20783 1
1347-25BC	5/16"	2-1/2"	10	50	◇	20784 8
1347-3BC	3/8"	3"	5	20	◇	20785 5

KEY RING

Nickel plated tempered steel strong type



C2583



7 74470...

C2583	19/32"	16	1/2"	13.2	0.056"	1.42	100	1,000	◇	50568 5
C2586	3/4"	19	21/32"	16.7	0.057"	1.45	100	1,000	◇	50569 2
C2588	1"	25	27/32"	21.4	0.072"	1.83	100	1,000	◇	50570 8
C2589	1-1/4"	32	1-3/32"	27.8	0.082"	2.08	100	1,000	◇	50571 5

KEY HOLDER

Nickel plated solid brass coupling with two key rings
Twelve (12) key holders per display card



CD603B



7 74470...

CD603B	1"	7/8"	12	un	50801 3
--------	----	------	----	----	---------

KEY IDENTIFICATION RING

Sold in an illustrated box containing
200 plastic rings, assorted colours



CH8008STV200



7 74470...

CH8008STV200	1	as	50210 3
--------------	---	----	---------

KEY TAG

Sold in an illustrated box containing
200 plastic key tags, assorted colours



CH8035STV200



7 74470...

CH8035STV200	1	as	50211 0
--------------	---	----	---------

20 - 20

condor is a registered trademark of Canada-Europe Ltd.
Representation or reproduction of this document in any form or by any means is strictly prohibited.

WARNING DO NOT USE FOR OVERHEAD LIFTING
DO NOT EXCEED THE WORKING LOAD LIMIT
DO NOT USE IF VISIBLY DISTORTED OR WORN

condor
CANADA-EUROPE.COM
SINCE 1956